

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

	L #	Hits	Search Text
1	L1	427	(assign\$4 designat\$3 creat\$3) with (address id identifier) with (email mail messag\$3) not ("1998" "1999" "2000" "2001" "2002" "2003" "2004").ay. and (tree directory file adj system hierarch\$4) same (subdirectory level)
2	L2	23	(user client subscriber) adj5 (assign\$4 designat\$3 creat\$3) with (address id identifier) near3 (email mail messag\$3) not ("1998" "1999" "2000" "2001" "2002" "2003" "2004").ay. and (tree directory file adj system hierarch\$4) same (subdirectory level)
3	L3	0	(send\$3 tranmit\$4 forward\$3) adj3 (messageid channelid id identifier) with ("as" "same" associat\$2) with (reply plies return receiv\$3 recipient) and 2
4	L4	1	(send\$3 tranmit\$4 forward\$3) with (global\$2 unique universal) adj3 (messageid channelid id identifier address) with (reply plies return receiv\$3 recipient) and 2
5	L5	2	(global\$2 unique universal) adj3 (messageid channelid id identifier address) with (reply plies return receiv\$3 recipient) and 2
6	L6	59	(global\$2 unique universal) adj3 (messageid channelid id identifier address) with (reply replies return receiv\$3 recipient) and (user client subscriber customer) adj5 (assign\$4 select\$4 modif\$4 edit\$4 designat\$3 creat\$3) with (address id identifier) near3 (email mail messag\$3)
7	L7	8	6 not ("1998" "1999" "2000" "2001" "2002" "2003" "2004").ay. and (tree directory file adj system hierarch\$4) same (subdirectory level)
8	L9	31	6 not ("1998" "1999" "2000" "2001" "2002" "2003" "2004").ay.
9	L10	23	9 not 7
10	L11	198	(global\$2 unique universal) adj3 (messageid keyword tag\$4 id identifier address) with (reply plies return receiv\$3 recipient) and (user client subscriber) adj5 (assign\$4 designat\$3 select\$4 creat\$3) with (address id identifier keyword tag\$4)

	L #	Hits	Search Text
11	L12	14	11 not ("1998" "1999" "2000" "2001" "2002" "2003" "2004").ay. and (tree directory file adj system hierarch\$4 topology) same (subdirectory level)
12	L13	46	(user client subscriber) adj5 (select\$4 designat\$3 creat\$3) with (address id identifier tag keyword pointer indicator vector refrenc\$3 adj (number value)) with (email mail messag\$3) not ("1998" "1999" "2000" "2001" "2002" "2003" "2004").ay. and (tree directory file adj system topologyhierarch\$4) same (subdirectory level)
13	L17	22	(user client subscriber) adj5 (select\$4 designat\$3 creat\$3) with (global\$2 unique\$2 universal) adj3 (address id identifier tag keyword pointer indicator vector referenc\$3 adj (number value)) with (email mail messag\$3 packet frame cell file document) not ("1998" "1999" "2000" "2001" "2002" "2003" "2004").ay.
14	L18	2354	(identif\$4 assign\$3 attach\$3 select\$4 designat\$3 creat\$3) with (email mail messag\$3 file document) not ("1998" "1999" "2000" "2001" "2002" "2003" "2004").ay. and associat\$2 with (reply respon\$3) with (email mail messag\$3 file document)
15	L19	127	(identif\$4 assign\$3 attach\$3 select\$4 designat\$3 creat\$3) with (global\$2 unique\$2 universal specific) with (email mail messag\$3 file document) not ("1998" "1999" "2000" "2001" "2002" "2003" "2004").ay. and associat\$2 with (global\$2 unique\$2 universal specific) with (reply respon\$3) with (email mail messag\$3 file document)
16	L20	23	19 and (tree directory file adj system hierarch\$4 topology) same (subdirectory level)

	L #	Hits	Search Text
1	L1	9	(assign\$4 designat\$3 creat\$3) with (address id identifier) with (email mail messag\$3) same (associat\$2 relate\$3 correspon\$4 insert attach\$4) with (address id identifier) with (repl\$3 respon\$3 return receiv\$3 recipient forward\$3 transmi\$4) and (messag\$3 email mail).ab. and (user client subscriber custom\$4) with (assign\$4 designat\$3 creat\$3) with (address id identifier) not ("1998" "1999" "2000" "2001" "2002" "2003" "2004").ay. and (tree directory file adj system hierarch\$4) same (subdirectory level)
2	L2	19	("same") adj3 (address id identifier) with (email mail messag\$3) with (repl\$3 respon\$3 return receiv\$3 recipient forward\$3 transmi\$4) and (messag\$3 email mail).ab. not ("1998" "1999" "2000" "2001" "2002" "2003" "2004").ay. and (tree directory file adj system hierarch\$4) same (subdirectory level)
3	L3	1	("same") adj3 (address id identifier) with (email mail messag\$3) with (associat\$2 attach\$4 relat\$3 correspon\$4 refer\$6) with (repl\$3 respon\$3 return receiv\$3 recipient forward\$3 transmi\$4) and (messag\$3 email mail).ab. not ("1998" "1999" "2000" "2001" "2002" "2003" "2004").ay. and (tree directory file adj system hierarch\$4) same (subdirectory level)
4	L4	228	(address id identifier) with (associat\$2 attach\$4 relat\$3 correspon\$4 refer\$6) with (repl\$3 respon\$3 return receiv\$3 recipient forward\$3 transmi\$4) and (messag\$3 email mail).ab. not ("1998" "1999" "2000" "2001" "2002" "2003" "2004").ay. and (tree directory file adj system hierarch\$4) same (subdirectory level)
5	L5	96	4 and (customiz\$3 (user client subscriber ) adj3 (select\$4 creat\$3 assign\$3 design\$5))
6	L6	39	4 and (customiz\$3 (user client subscriber) adj3 (select\$4 creat\$3 assign\$3 design\$5))with (address id identifier)

	L #	Hits	Search Text
7	L7	4882	(transmi\$4 send\$3 "same" forward\$3) near10 (address id identifier) with (associat\$2 attach\$4 relat\$3 correspon\$4 refer\$6) with (repl\$3 respon\$3 return receiv\$3 recipient)
8	L8	5	6 and 7
9	L9	4345	(transmi\$4 send\$3 forward\$3) near10 (address id identifier) with ("same" associat\$2 attach\$4 relat\$3 correspon\$4 refer\$6) with (repl\$3 respon\$3 return receiv\$3 recipient) near10 (address id identifier)
10	L10	421	9 and (customiz\$3 (user client subscriber) adj3 (select\$4 creat\$3 assign\$3 design\$5))with (address id identifier)
11	L11	158	(email mail messag\$3).ab. and 10
12	L12	44	(email mail messag\$3).ab. and 10 and map\$4
13	L13	28	709/\$\$\$ and 12
14	L14	1070	(send\$3 tranmit\$4 froward\$3) adj3 (number address id identifier) with ("as" "same" associat\$2) with (reply plies return receiv\$3 recipient)
15	L15	94	14 and (customiz\$3 (user client subscriber) adj3 (select\$4 creat\$3 assign\$3 design\$5))with (address id identifier)
16	L16	41	(email call\$3 mail messag\$3).ab. and 15
17	L18	19	16 and (tree topology directory)
18	L19	216	(send\$3 tranmit\$4 froward\$3) adj3 (messageid channelid id identifier) with ("as" "same" associat\$2) with (reply plies return receiv\$3 recipient)
19	L20	26	19 and (customiz\$3 (user client subscriber) adj3 (select\$4 creat\$3 assign\$3 design\$5))with (address id identifier)
20	L21	11	20 and (tree topology directory)

	Hits	Search Text
1	5463	(assign\$4 designat\$3 creat\$3) with (address id identifier) with (email mail messag\$3)
2	23539	(associat\$2 relate\$3 correspon\$4 insert attach\$4) with (address id identifier) with (repl\$3 respon\$3 return receiv\$3 recipient forward\$3 transmi\$4)
3	618	((assign\$4 designat\$3 creat\$3) with (address id identifier) with (email mail messag\$3)) same ((associat\$2 relate\$3 correspon\$4 insert attach\$4) with (address id identifier) with (repl\$3 respon\$3 return receiv\$3 recipient forward\$3 transmi\$4))
4	20606	first adj (level branch) same second adj (level branch)
5	4	((assign\$4 designat\$3 creat\$3) with (address id identifier) with (email mail messag\$3)) same ((associat\$2 relate\$3 correspon\$4 insert attach\$4) with (address id identifier) with (repl\$3 respon\$3 return receiv\$3 recipient forward\$3 transmi\$4))) and (first adj (level branch) same second adj (level branch)) and (tree directory hierarch\$4)
6	417	((assign\$4 designat\$3 creat\$3) with (address id identifier) with (email mail messag\$3)) same ((associat\$2 relate\$3 correspon\$4 insert attach\$4) with (address id identifier) with (repl\$3 respon\$3 return receiv\$3 recipient forward\$3 transmi\$4)) and (messag\$3 email mail).ab.
7	25	((assign\$4 designat\$3 creat\$3) with (address id identifier) with (email mail messag\$3)) same ((associat\$2 relate\$3 correspon\$4 insert attach\$4) with (address id identifier) with (repl\$3 respon\$3 return receiv\$3 recipient forward\$3 transmi\$4)) and (messag\$3 email mail).ab.) and subsequen\$4 near3 (repl\$3 respon\$4 return\$3)
8	8560	(user client subscriber custom\$4) with (assign\$4 designat\$3 creat\$3) with (address id identifier)
9	184	((assign\$4 designat\$3 creat\$3) with (address id identifier) with (email mail messag\$3)) same ((associat\$2 relate\$3 correspon\$4 insert attach\$4) with (address id identifier) with (repl\$3 respon\$3 return receiv\$3 recipient forward\$3 transmi\$4)) and (messag\$3 email mail).ab.) and ((user client subscriber custom\$4) with (assign\$4 designat\$3 creat\$3) with (address id identifier) )

	Hits	Search Text
10	58	(((assign\$4 designat\$3 creat\$3) with (address id identifier) with (email mail messag\$3)) same ((associat\$2 relate\$3 correspon\$4 insert attach\$4) with (address id identifier) with (repl\$3 respon\$3 return receiv\$3 recipient forward\$3 transmi\$4)) and (messag\$3 email mail).ab.) and ((user client subscriber custom\$4) with (assign\$4 designat\$3 creat\$3) with (address id identifier) ) not ("1997" "1998" "1999" "2000" "2001" "2002" "2003" "2004").ay.
11	17	(((assign\$4 designat\$3 creat\$3) with (address id identifier) with (email mail messag\$3)) same ((associat\$2 relate\$3 correspon\$4 insert attach\$4) with (address id identifier) with (repl\$3 respon\$3 return receiv\$3 recipient forward\$3 transmi\$4)) and (messag\$3 email mail).ab.) and ((user client subscriber custom\$4) with (assign\$4 designat\$3 creat\$3) with (address id identifier) ) not ("1997" "1998" "1999" "2000" "2001" "2002" "2003" "2004").ay.) and (tree directory) and level
12	9	(((assign\$4 designat\$3 creat\$3) with (address id identifier) with (email mail messag\$3)) same ((associat\$2 relate\$3 correspon\$4 insert attach\$4) with (address id identifier) with (repl\$3 respon\$3 return receiv\$3 recipient forward\$3 transmi\$4)) and (messag\$3 email mail).ab.) and ((user client subscriber custom\$4) with (assign\$4 designat\$3 creat\$3) with (address id identifier) ) not ("1997" "1998" "1999" "2000" "2001" "2002" "2003" "2004").ay.) and (tree directory) same level

	L #	Hits	Search Text
1	L1	3126	(messag\$3 email mail) with (id identifier) with (reply\$3 respon\$4 return\$3)
2	L2	4053	(user cleitn subscriber customer consumer recipient) with (assign\$3 design\$6 creat\$3) with (id identifier)
3	L3	465	1 and 2
4	L4	113	1 same 2
5	L5	19	1 same 2 and subsequen\$4 with (reply\$3 respon\$4)
6	L6	1	("6216168").PN.
7	L7	1526	(user client subscriber customer consumer recipient) adj20 (assign\$3 design\$6 creat\$3) adj20 (id identifier)
8	L8	7	1 same 7 and (sequen\$4 subsequen\$4) with (reply\$3 respon\$4)
9	L9	3661	(user client subscriber customer consumer recipient) with (assign\$3 creat\$3) with (id identifier)
10	L10	2932	(id identifier) with (associat\$2 accord\$4 based) with (reply\$3 respon\$4 return\$3)
11	L11	6	9 same 10 and subsequen\$4 with (reply\$3 respon\$4)
12	L12	19006	(assign\$3 creat\$3) with (id identifier)
13	L13	4274	(id identifier) with (link pointer indicator refere\$4 associat\$2 accord\$4 based) with (reply\$3 replies respon\$4 return\$3)
14	L14	343	(messag\$3 email mail).ab. and 12 and 13
15	L15	115	14 and (user client subscriber customer consumer recipient) with (assign\$3 creat\$3) with (id identifier)
16	L16	18	15 and (sequen\$4 subsequen\$4) near3 (reply\$3 replies respon\$4)
17	L17	72	15 and (user client subscriber customer consumer recipient) near5 (assign\$3 creat\$3) with (id identifier)
18	L18	15	16 and (user client subscriber customer consumer recipient) near5 (assign\$3 creat\$3) with (id identifier)



	L #	Hits	Search Text
19	L19	10	16 and (user client subscriber customer consumer recipient) near5 (assign\$3 creat\$3) adj30 (id identifier)